THE PALACE, MYSORE.

Memo dated 26th December 1934.

Sealed tenders for the supply of provisions, etc., to the Palace, will be received by the undersigned on Thursday the 7th February 1935.

Particulars can be obtained from the Munib, Mothikhana, Mysore.

M. RAMA RAO,
For *Huzur Secretary.*

OFFICE OF THE SUPERINTENDENT, GOVERNMENT SILK WEAVING FACTORY AND FILATURE, MYSORE.

Abstract Notification.

Attention of the public is invited to the detailed notification dated 20th December 1934, calling for tenders for the supply of good quality Hybrid and Mysore cocoons to the Government Silk Filature, Mysore, during the months of February, March and April 1935, published in page 19, Part VI of the *Mysore Gazette* dated 3rd January 1935.

The last date fixed for the receipt of tenders is 23rd January 1935.

H. S. GOVINDA RAO,
Superintendent of Sericulture.

MYSORE RAILWAYS.

MYSORE DIVISION (OPEN LINES).

Abstract Notification for supply of Granite or Gneiss Stones.

The attention of the public is hereby invited to the detailed Notification relating to the above, published in the *Mysore Gazette* (Part–VI, page 21), dated 3rd January 1935.

The tenders will be received in the Office of the Senior Executive Engineer, Mysore Railways, Mysore, up to 4 P.M. on Tuesday the 22nd January 1935.

Notification dated 5th January 1935.

Notice is hereby given that sealed tenders will be received at the Office of the Senior Executive Engineer, Mysore Railways, Mysore (Railway Central Offices), on any day (excepting holidays) up to 4 P.M. on Monday the 21st January 1935, for constructing :—

I. Assistant Station Master's Quarters
II. Clerk's Quarters
III. Menials' Quarters (3 units)
} at Mandya.

and

(1) Menials' Quarters, (2) Blocks of 3 units each at Maddur.

Approximate estimates of quantities are given in the following schedules. The quantities are not guaranteed. The work should be completed within three months from the date of acceptance of the tender.

2. Detailed estimates, plans and specifications and conditions for works and conditions of Schedule Agreements may be seen at the Senior Executive Engineer's Office, Mysore Railways, Mysore, on all working days between 10-30 A.M. and 4-30 P.M.

3. Tenders should be submitted separately for works at Mandya and Maddur on printed forms, which may be obtained from the Senior Executive Engineer on production of a receipt for payment of rupee one to the Auditor, Mysore Railways, Mysore.

4. Every tender must be accompanied by an earnest money of Rs. 300 for works at Mandya and Rs. 200 for works at Maddur, which should be paid to the Auditor, Mysore Railways, Mysore, and the receipts thereof enclosed along with the tender, and should be superscribed "Tender for constructing Staff Quarters, etc., at Mandya (or Maddur) Railway Station", in default of which tenders will be rejected.

5. The earnest money of the rejected tenders will be returned as early as possible after the tenders are disposed of, and in the case of accepted tender, it would be held as a part of security under Clause 4 of the Schedule Agreement referred to in Para 8.

6. The final acceptance of any tender will rest with the Superintendent, Way and Works, Mysore Railways, Mysore, who does not bind himself to accept the lowest or any tender or to assign any reason whatsoever for the rejection of any tender or any portion of a tender.

7. The name of the contractor, whose tender has been accepted, will be posted on the Notice Board in the Senior Executive Engineer's Office. No enquiries regarding the acceptance or rejection of a tender will be answered.

8. Within eight days of the acceptance of the tender, the successful tenderer is required to execute the usual Schedule Agreement, in default of which his tender will be considered as cancelled and the earnest money forfeited to Government.

9. Quotations must be given in words as well as in figures and they must be in specific terms of unit shown against each item of work. Any quotation quoted as so much per cent less or more than the estimated rate will not be accepted.

10. Rates once tendered cannot be enhanced on any account.

11. Rates for non-tendered and non-estimated items shall be as per Schedule rates of the Department or those fixed by the Senior Executive Engineer after working out data, with not more than 10 per cent for contractor's profit.

12. In case the accepted tenderer quarries stone, earth, kunkar, sand, etc., from Railway, Government or Forest land for use on this work he must make his own arrangements in advance for payment of Royalties, etc., as the Railway Department will not concern itself regarding the payment, recovery, etc.

13. The whole of the work specified in the Agreement to be completed as specified in Para 1 above, failing which or failing to carry out any of the conditions in the Agreement, the whole of the money held in deposit, or so much of it, as the Agent, Mysore Railways, considers proper, will, without prejudice to any other legal or equitable right or remedy which the Agent may have, be forfeited to the Agent, Mysore Railways, Mysore.

14. Should any dispute arise in the interpretation of the clauses of the tender or in respect of any item of work or specification, the decision of the Superintendent, Way and Works, Mysore Railways, Mysore, shall be final.

Schedule.

Sl. No.	Details of work	Quantity	Unit	Rate	Amount
	I. CONSTRUCTING ASSISTANT STATION MASTER'S QUARTERS, MANDYA.			Rs. a. p.	
1	Earthwork excavation and filling in	1,400 C.ft.	1,000 C.ft.		
2	Concrete broken stone jelly in chunam mortar ..	540 ,,	100 ,,		
3	Burnt brick in sand mortar	1,500 ,,	100 ,,		
4	Burnt brick in clay	1,800 ,,	100 ,,		
5	Burnt stone slabs 6″ thick, one line dressed and fixed in mortar	190 S.ft.	1 S.ft.		
6	Teakwood doors, battened with 1″ thick shutters and all fittings, complete as per specification ..	104 S.ft.	1 S.ft.		
7	Teakwood windows battened with 1″ thick shutters with ¾″ square mild steel bars fixed at 4″ centres and all fittings complete as per specification ..	60 ,,	1 ,,		
8	Teakwood ventilators with ¾″ square mild steel bars, battened shutters 1″ thick and all fittings complete as per specification	14 ,,	1 ,,		
9	Teakwood wrought and put up including wood oiling, two coats	47 C.ft.	1 C.ft.		
10	Roofing with first class Mangalore pattern Yelahanka tiles on Teakwood reepers 2″×1″ including chunam borders, teakwood wind ties and wood oiling reepers complete	1,410 S.ft.	100 S.ft.		
11	Ridge tiles Mangalore pattern set in mortar including cement pointing	55 R.ft.	1 R.ft.		
12	Chunam plastering	4,350 S.ft.	100 S.ft.		
13	White washing	4,350 ,,	100 ,,		
14	Flooring with 3″ thick chunam concrete with ½″ thick cement plastering	680 ,,	100 ,,		
15	Flooring with gravel 6″ thick as per specification ..	60 ,,	100 ,,		
16	Hoisting and fixing 41¼ lbs. section second-hand rails.	103 R.ft.	1 R.ft.		
17	Providing ovens	2 No.	1 No.		
18	Providing and fixing mortar and pestle	1 ,,	1 ,,		
19	Painting with Silicate chacolate, two coats	600 S.ft.	100 S.ft.		
20	Teakwood pendents	6 No.	1 No.		
21	Teakwood finials	2 ,,	1 ,,		
22	Providing and fixing smoke tiles	4 ,,	1 ,,		

Sl. No.	Details of work	Quantity	Unit	Rate	Amount
	II. CONSTRUCTING CLERK'S QUARTERS AT MANDYA.				
	Details same as Assistant Station Master's Quarters (Item I) above.				
	III. CONSTRUCTING MENIALS' QUARTERS, 3 UNITS (1 BLOCK), AT MANDYA.				
1	Earthwork excavation and filling in	1,800 C.ft.	1,000 C.ft.		
2	Broken stone jelly concrete in chunam mortar ..	650 „	100 „		
3	Burnt brick in chunam mortar	1,460 „	100 „		
4	Burnt brick in clay	1,450 „	100 „		
5	Burnt stone slabs 6″ thick, one line dressed and fixed in mortar	60 S.ft.	1 S.ft.		
6	Teakwood doors battened with 1″ thick shutters and all fittings complete as per specification ..	54 „	1 „		
7	Teakwood windows with ¾″ thick mild steel bars and battened shutters 1″ thick and all fittings, etc., complete as per specification	60 „	1 „		
8	Roofing with first class Mangalore pattern Yelahanka tiles on teakwood reepers 2″ × 1″ including chunam borders, teakwood wind ties and wood oiling reepers, etc., complete	1,100 „	100 „		
9	Teakwood wrought and put up including wood oiling	39 C.ft.	1 C.ft.		
10	Hoisting and fixing 41¼ lbs. section rails	140 R.ft.	1 R.ft.		
11	Ridge tiles set in mortar and cement pointing ..	38 „	1 „		
12	Chunam plastering	4,000 S.ft.	100 S.ft.		
13	Whitewashing	4,000 S.ft.	100 „		
14	Flooring with 3″ chunam concrete with ½″ thick plaster.	590 „	100 „		
15	Providing ovens	3 No.	1 No.		
16	Painting with silicate chacolate, two coats	230 S.ft.	100 S.ft.		
17	Providing and fixing mortar and pestle	3 No.	1 No.		
18	Providing and fixing smoke tiles	9 „	1 „		
19	Providing and fixing teakwood shelves with teak wood planks 1¼ feet wide and 1¼″ thick with necessary teakwood plugs, etc., complete with wood oiling	40 S.ft.	1 S.ft.		
	CONSTRUCTING MENIALS' QUARTERS, 2 BLOCKS OF 3 UNITS EACH AT MADDUR.				
1	Earthwork excavation and filling in	2,100 C.ft.	1,000 C.ft.		
2	Broken stone jelly concrete in chunam mortar ..	900 „	100 „		
3	Broken brick in chunam mortar	1,580 „	100 „		
4	Burnt brick in clay	1,450 „	100 „		
5	Burnt stone slabs 6″ thick, one line dressed and fixed in mortar	60 S.ft.	1 S.ft.		
6	Teakwood doors battened with 1″ thick shutters and all fittings complete as per specification ..	54 „	1 „		
7	Teakwood windows with ¾″ thick mild steel bars and battened shutters 1″ thick and all fittings, etc., complete as per specification	60 „	1 „		
8	Roofing with first class Mangalore pattern Yelahanka tiles on teakwood reepers 2″ × 1″ including chunam borders, teakwood wind ties and wood oiling reepers, etc., complete	1,100 „	100 „		
9	Teakwood wrought and put up including wood oiling .	39 C.ft.	1 C.ft.		
10	Hoisting and fixing 41¼ lbs. section rails	140 R.ft.	1 R.ft.		
11	Ridge tiles set in mortar and cement pointing ..	38 „	1 „		
12	Chunam plastering	4,000 S.ft.	100 S.ft.		
13	White washing	4,000 „	100 „		
14	Flooring with 3″ chunam concrete with ½″ thick plaster	590 „	100 „		
15	Providing ovens	3 No.	1 No.		
16	Painting with silicate chacolate, two coats	230 S.ft.	100 S.ft.		
17	Providing and fixing mortar and pestle	3 No.	1 No.		
18	Providing and fixing smoke tiles	9 „	1 „		
19	Providing and fixing teakwood shelves with teakwood planks 1¼ feet wide and 1¼″ thick with necessary teakwood plugs, complete with wood oiling etc., ..	40 S.ft.	1 S.ft.		

Note.—(1) Works should be executed as per Marryat's Specifications.

(2) Railway Materials Concession Certificates will be issued only for Roofing tiles and flooring slabs to Mandya and Maddur Stations from the place of despatch.

(3) Measurements for doors, windows and ventilators, etc., will be given for *clear openings only*.

D. V. NARASIMHA RAO,
For *Senior Executive Engineer*.